

# Package ‘eodhdR2’

September 12, 2024

**Type** Package

**Title** Official R API for Fetching Data from 'EODHD'

**Version** 0.5.1

**Maintainer** Marcelo S. Perlin <marceloperlin@gmail.com>

**Description** Second and backward-incompatible version of R package 'eodhd' <<https://eodhd.com/>>, extended with a cache and quota system, also offering functions for cleaning and aggregating the financial data.

**License** MIT + file LICENSE

**URL** <https://github.com/EodHistoricalData/R-Library-for-financial-data-2024>

**BugReports**

<https://github.com/EodHistoricalData/R-Library-for-financial-data-2024/issues>

**Encoding** UTF-8

**RoxygenNote** 7.3.2

**Suggests** knitr, rmarkdown, cli, dplyr, fs, glue, httr, jsonlite, lubridate, purrr, readr, tidyr, testthat (>= 3.0.0)

**Config/testthat/edition** 3

**NeedsCompilation** no

**Author** Marcelo S. Perlin [aut, cre, ctr],  
Unicorn Data Services [cph]

**Repository** CRAN

**Date/Publication** 2024-09-12 17:50:09 UTC

## Contents

get_demo_token . . . . .	2
get_dividends . . . . .	2
get_exchanges . . . . .	3
get_fundamentals . . . . .	4
get_ipos . . . . .	5
get_news . . . . .	6

get_prices . . . . .	7
get_splits . . . . .	8
get_tickers . . . . .	9
parse_financials . . . . .	10
set_token . . . . .	11

<b>Index</b>	<b>12</b>
--------------	-----------

---

get_demo_token	<i>Returns token for demonstration</i>
----------------	--

---

### Description

Returns token for demonstration

### Usage

```
get_demo_token()
```

### Value

A string with token

### Examples

```
get_demo_token()
```

---

get_dividends	<i>Retrieves dividend data from the api</i>
---------------	---

---

### Description

This function will query the dividend end point <https://eodhd.com/financial-apis/api-splits-dividends> and return:

- dates (declaration, record, payment)
- value of dividend (adjusted and unadjusted)
- currency of dividend

### Usage

```
get_dividends(
    ticker = "AAPL",
    exchange = "US",
    cache_folder = get_default_cache(),
    check_quota = TRUE
)
```

**Arguments**

ticker	A company ticker (e.g. AAPL). You can find all tickers for a particular exchange with <code>get_tickers()</code> .
exchange	A exchange symbol (e.g. US). You can find all tickers for a particular exchange with <code>get_tickers()</code> . Be aware that, for US companies, the exchange symbols is simply "US"
cache_folder	A local directory to store cache files. By default, all functions use a temporary path, meaning that the caching system is session persistent (it will remove all files when you exit your R session). If you want a persistent caching system, simply point argument <code>cache_folder</code> to a local directory in your filesystem. Be aware, however, that a persistent cache will not refresh your data for new api queries.
check_quota	A flag (TRUE/FALSE) for whether to check the current quota status from the api. This option implies a small cost of execution time. If you need speed, just set it to FALSE.

**Value**

A dataframe with dividend information

**Examples**

```
## Not run:
set_token(get_demo_token())
df_div <- get_dividends(ticker = "AAPL", exchange = "US")
df_div

## End(Not run)
```

---

get_exchanges	<i>Retrieves the list of available exchanges</i>
---------------	--

---

**Description**

Retrieves the list of available exchanges

**Usage**

```
get_exchanges(cache_folder = get_default_cache())
```

**Arguments**

cache_folder	A local directory to store cache files. By default, all functions use a temporary path, meaning that the caching system is session persistent (it will remove all files when you exit your R session). If you want a persistent caching system, simply point argument <code>cache_folder</code> to a local directory in your filesystem. Be aware, however, that a persistent cache will not refresh your data for new api queries.
--------------	---

**Value**

a dataframe with information about available exchanges

**Examples**

```
# you need a valid token (not test) for this to work
## Not run:
set_token("YOUR_VALID_TOKEN")
df_exc <- get_exchanges()

## End(Not run)
```

---

get_fundamentals	<i>Retrieves and parses fundamental and financial data from eodhd api</i>
------------------	---

---

**Description**

This function will download raw data from the fundamental end point of eodhd <https://eodhd.com/financial-apis/stock-etfs-fundamental-data-feeds> and return a list. The raw data includes:

- General information for the company (code, ISIN, currency, ..)
- Financial highlights
- Valuation
- Raw financial data (see [parse\\_financials\(\)](#) for parsing this data)
- and many more (see example for more details regarding the output)

**Usage**

```
get_fundamentals(  
  ticker = "AAPL",  
  exchange = "US",  
  cache_folder = get_default_cache(),  
  check_quota = TRUE  
)
```

**Arguments**

ticker	A company ticker (e.g. AAPL). You can find all tickers for a particular exchange with <a href="#">get_tickers()</a> .
exchange	A exchange symbol (e.g. US). You can find all tickers for a particular exchange with <a href="#">get_tickers()</a> . Be aware that, for US companies, the exchange symbols is simply "US"

- `cache_folder` A local directory to store cache files. By default, all functions use a temporary path, meaning that the caching system is session persistent (it will remove all files when you exit your R session). If you want a persistent caching system, simply point argument `cache_folder` to a local directory in your filesystem. Be aware, however, that a persistent cache will not refresh your data for new api queries.
- `check_quota` A flag (TRUE/FALSE) for whether to check the current quota status from the api. This option implies a small cost of execution time. If you need speed, just set it to FALSE.

**Value**

a list with several fundamental information

**Examples**

```
## Not run:
set_token(get_demo_token())
l_out <- get_fundamentals(ticker = "AAPL", exchange = "US")
names(l_out)

## End(Not run)
```

---

get\_ipos

*Retrieves IPO (Initial Public Offering) data for a given time period*

---

**Description**

This function will query the IPO end point of eodhd and return all ipos for a user supplied time period.

**Usage**

```
get_ipos(
  first_date = Sys.Date() - 3 * 365,
  last_date = Sys.Date(),
  cache_folder = get_default_cache(),
  check_quota = TRUE
)
```

**Arguments**

- `first_date` the first date to fetch ipos information. Default is previous three years
- `last_date` the last date to fetch news. Default is today.

cache_folder	A local directory to store cache files. By default, all functions use a temporary path, meaning that the caching system is session persistent (it will remove all files when you exit your R session). If you want a persistent caching system, simply point argument cache_folder to a local directory in your filesystem. Be aware, however, that a persistent cache will not refresh your data for new api queries.
check_quota	A flag (TRUE/FALSE) for whether to check the current quota status from the api. This option implies a small cost of execution time. If you need speed, just set it to FALSE.

**Value**

A dataframe with news events and sentiments

**Examples**

```
## Not run:
set_token("YOUR_VALID_TOKEN")
df_news <- get_ipos()

## End(Not run)
```

---

get_news	<i>Retrieves news for a given ticker and exchange</i>
----------	---

---

**Description**

This function will query the news point of eodhd and return all news for a user supplied time period.

**Usage**

```
get_news(  
  ticker = "AAPL",  
  exchange = "US",  
  first_date = Sys.Date() - 3 * 30,  
  last_date = Sys.Date(),  
  offset_delta = 500,  
  cache_folder = get_default_cache(),  
  check_quota = TRUE  
)
```

**Arguments**

ticker	A company ticker (e.g. AAPL). You can find all tickers for a particular exchange with <a href="#">get_tickers()</a> .
exchange	A exchange symbol (e.g. US). You can find all tickers for a particular exchange with <a href="#">get_tickers()</a> . Be aware that, for US companies, the exchange symbols is simply "US"

first_date	the first date to fetch news. The function will keep querying the api until this date is reached. Default is previous three months.
last_date	the last date to fetch news. Default is today.
offset_delta	how much to change offset in each iterations (higher values will result in more query time, but less queries). Default is 500.
cache_folder	A local directory to store cache files. By default, all functions use a temporary path, meaning that the caching system is session persistent (it will remove all files when you exit your R session). If you want a persistent caching system, simply point argument cache_folder to a local directory in your filesystem. Be aware, however, that a persistent cache will not refresh your data for new api queries.
check_quota	A flag (TRUE/FALSE) for whether to check the current quota status from the api. This option implies a small cost of execution time. If you need speed, just set it to FALSE.

### Value

A dataframe with news events and sentiments

### Examples

```
## Not run:  
set_token(get_demo_token())  
df_news <- get_news(ticker = "AAPL", exchange = "US")  
  
## End(Not run)
```

---

get_prices	<i>Retrieves adjusted and unadjusted stock prices</i>
------------	---

---

### Description

This function will query the price end point of eodhd and return daily stock price from a set of ticker and exchange. It also includes the daily stock return (percentage variation).

### Usage

```
get_prices(  
  ticker = "AAPL",  
  exchange = "US",  
  cache_folder = get_default_cache(),  
  check_quota = TRUE  
)
```

**Arguments**

ticker	A company ticker (e.g. AAPL). You can find all tickers for a particular exchange with <code>get_tickers()</code> .
exchange	A exchange symbol (e.g. US). You can find all tickers for a particular exchange with <code>get_tickers()</code> . Be aware that, for US companies, the exchange symbols is simply "US"
cache_folder	A local directory to store cache files. By default, all functions use a temporary path, meaning that the caching system is session persistent (it will remove all files when you exit your R session). If you want a persistent caching system, simply point argument <code>cache_folder</code> to a local directory in your filesystem. Be aware, however, that a persistent cache will not refresh your data for new api queries.
check_quota	A flag (TRUE/FALSE) for whether to check the current quota status from the api. This option implies a small cost of execution time. If you need speed, just set it to FALSE.

**Value**

A dataframe with prices

**Examples**

```
## Not run:
set_token(get_demo_token())
df_prices <- get_prices(ticker = "AAPL", exchange = "US")

## End(Not run)
```

---

<code>get_splits</code>	<i>Retrieves splits data from eodhd</i>
-------------------------	---

---

**Description**

This function will query the splits end point of eodhd and return all split information for a given stock/exchange.

**Usage**

```
get_splits(
  ticker = "AAPL",
  exchange = "US",
  cache_folder = get_default_cache(),
  check_quota = TRUE
)
```

**Arguments**

ticker	A company ticker (e.g. AAPL). You can find all tickers for a particular exchange with <code>get_tickers()</code> .
exchange	A exchange symbol (e.g. US). You can find all tickers for a particular exchange with <code>get_tickers()</code> . Be aware that, for US companies, the exchange symbols is simply "US"
cache_folder	A local directory to store cache files. By default, all functions use a temporary path, meaning that the caching system is session persistent (it will remove all files when you exit your R session). If you want a persistent caching system, simply point argument <code>cache_folder</code> to a local directory in your filesystem. Be aware, however, that a persistent cache will not refresh your data for new api queries.
check_quota	A flag (TRUE/FALSE) for whether to check the current quota status from the api. This option implies a small cost of execution time. If you need speed, just set it to FALSE.

**Value**

A dataframe with split information

**Examples**

```
## Not run:
# requires a subscription (paid) token
df_split <- get_splits(ticker = "AAPL", exchange = "US")

## End(Not run)
```

---

get_tickers	<i>Retrieves a list of tickers for a particular exchange</i>
-------------	--

---

**Description**

Retrieves a list of tickers for a particular exchange

**Usage**

```
get_tickers(exchange = "US", cache_folder = get_default_cache())
```

**Arguments**

exchange	A exchange symbol (e.g. US). You can find all tickers for a particular exchange with <code>get_tickers()</code> . Be aware that, for US companies, the exchange symbols is simply "US"
----------	--

cache\_folder A local directory to store cache files. By default, all functions use a temporary path, meaning that the caching system is session persistent (it will remove all files when you exit your R session). If you want a persistent caching system, simply point argument cache\_folder to a local directory in your filesystem. Be aware, however, that a persistent cache will not refresh your data for new api queries.

### Value

A dataframe with a list of tickers

### Examples

```
## Not run: # requires a subscription (paid) token
df_tickers <- get_tickers("US")

## End(Not run)
```

---

parse\_financials *Parses financial data from the API*

---

### Description

This function will organize the raw financial data from `get_fundamentals()`, aggregating all information into a single dataframe, including quarterly and yearly data from the Balance\_sheet, Cash-flow statement and Income statement. Whenever no financial data is found in l\_out, the function returns an empty dataframe.

### Usage

```
parse_financials(l_out, type_table = "long")
```

### Arguments

l\_out A list with raw data (output from `get_fundamentals()`)

type\_table Format of table in output ("wide" or "long"). A "wide" table is a typical Excel column-oriented table where each columns is a data/year. A long type of table row-oriented, where each each point of new information is a row of the table. The data is the same, it just changes the orientation of rows/columns. The default value is a "long" table.

### Value

A dataframe with organized financial data in the wide or long format

**Examples**

```
## Not run:
set_token(get_demo_token())
l_out <- get_fundamentals(ticker = "AAPL", exchange = "US")

df_fin <- parse_financials(l_out, "long")
df_fin

## End(Not run)
```

---

set_token	<i>Sets up authentication for eodhd</i>
-----------	---

---

**Description**

Uses the token from <https://eodhd.com/cp/dashboard> to authenticate your R session. You can find your own eodhd token from the website. Alternatively, a demo token is also available for testing purposes, with a limited supply of data.

**Usage**

```
set_token(token = get_demo_token())
```

**Arguments**

token	the token from eodhd. The default value is a demo token "demo", which allows for partial access to the data. See <a href="#">get_demo_token()</a> for using a demo token.
-------	---

**Value**

Nothing

**Examples**

```
## Not run:
set_token()

## End(Not run)
```

# Index

`get_demo_token`, 2  
`get_demo_token()`, 11  
`get_dividends`, 2  
`get_exchanges`, 3  
`get_fundamentals`, 4  
`get_fundamentals()`, 10  
`get_ipos`, 5  
`get_news`, 6  
`get_prices`, 7  
`get_splits`, 8  
`get_tickers`, 9  
`get_tickers()`, 3, 4, 6, 8, 9  
  
`parse_financials`, 10  
`parse_financials()`, 4  
  
`set_token`, 11