

Package ‘itrimhoch’

April 24, 2025

Type Package

Title Improved Trimmed Weighted Hochberg Procedures and Sample Size Optimization

Version 1.0.0

Description

The improved trimmed weighted Hochberg procedure provides increased statistical power and relaxes the dependence assumptions for familywise error rate control compared to the original weighted Hochberg procedure. This package computes the boundaries required for implementing the proposed methodology and includes sample size optimization methods.

See Gou, J., Chang, Y., Li, T., and Zhang, F.(2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

License GPL-3

Encoding UTF-8

Depends R (>= 4.2.0)

Imports mvtnorm (>= 1.2), stats (>= 4.0.0)

RoxygenNote 7.3.2.9000

NeedsCompilation no

Author Jiangtao Gou [aut, cre],
Fengqing (Zoe) Zhang [aut],
Yizhuo Chang [ctb],
Tianqi Li [ctb]

Maintainer Jiangtao Gou <gouRpackage@gmail.com>

Repository CRAN

Date/Publication 2025-04-24 17:40:09 UTC

Contents

find_k_given_rho_target_mvtnorm	2
find_k_target_mvtnorm	3
find_rho_target_mvtnorm	4
iHpTarget1	4

iHpTarget1m	5
iHpTarget2	6
iHpTarget2m	7
interpolate_zero	8
itwcHochPower	9
optk	10
oprho	11
optsamplesize_iHp	12
optsamplesize_iHpm	13
optsamplesize_tHp	14
optsamplesize_wHolmpm	16
optsamplesize_wHp	17
tHpTarget1	18
tHpTarget2	19
typeIerror_Simes_mvtnorm	20
typeIerror_trimSimes_mvtnorm	21
wHolmTarget1	22
wHolmTarget1m	23
wHolmTarget2	24
wHolmTarget2m	25
wHpTarget1	26
wHpTarget2	27
Index	28

find_k_given_rho_target_mvtnorm

Find the difference between the error rate when k and ρ are both given and the prespecified alpha level

Description

Find the difference between the error rate when k and ρ are both given and the prespecified alpha level

Usage

```
find_k_given_rho_target_mvtnorm(k, rho, alpha, alphavec = c(alpha/2, alpha/2))
```

Arguments

<code>k</code>	a pre-specified constant in the improved trimmed weighted Hochberg procedure
<code>rho</code>	the correlation coefficient between two test statistics
<code>alpha</code>	the significance level
<code>alphavec</code>	a numeric vector of two values representing the weighted significance levels assigned to the two hypotheses

Value

the difference between the error rate when k is specified and ρ is optimal and the prespecified alpha level

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

find_k_target_mvtnorm *Find the difference between the error rate when k is specified and ρ is optimal and the prespecified alpha level*

Description

Find the difference between the error rate when k is specified and ρ is optimal and the prespecified alpha level

Usage

```
find_k_target_mvtnorm(k, alpha, alphavec = c(alpha/2, alpha/2))
```

Arguments

<code>k</code>	a pre-specified constant in the improved trimmed weighted Hochberg procedure
<code>alpha</code>	the significance level
<code>alphavec</code>	a numeric vector of two values representing the weighted significance levels assigned to the two hypotheses

Value

the difference between the error rate when k is specified and ρ is optimal and the prespecified alpha level

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

find_rho_target_mvtnorm

Find the partial derivative of the error rate with respect to the correlation coefficient rho when k and rho are given

Description

Find the partial derivative of the error rate with respect to the correlation coefficient rho when k and rho are given

Usage

```
find_rho_target_mvtnorm(rho, k, alpha, alphavec = c(alpha/2, alpha/2))
```

Arguments

rho	the correlation coefficient between two test statistics
k	a pre-specified constant in the improved trimmed weighted Hochberg procedure
alpha	the significance level
alphavec	a numeric vector of two values representing the weighted significance levels assigned to the two hypotheses

Value

the partial derivative of the error rate with respect to the correlation coefficient rho

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

iHpTarget1

Find the difference between the achieved power and the desired power for rejecting H1 using the improved trimmed or truncated weighted Hochberg procedure

Description

Find the difference between the achieved power and the desired power for rejecting H1 using the improved trimmed or truncated weighted Hochberg procedure

Usage

```
iHpTarget1(n, alpha1, alpha, k, beta1, deltavec, rho)
```

Arguments

n	the sample size
alpha1	the weighted significance levels assigned to H1
alpha	the significance level
k	a pre-specified constant in the improved trimmed weighted Hochberg procedure
beta1	one minus the desired power for rejecting H1
deltavec	a numeric vector of two values representing the effect sizes for the two hypotheses
rho	the correlation coefficient between two test statistics

Value

the difference between the achieved power and the desired power for rejecting H1 using the improved trimmed or truncated weighted Hochberg procedure

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

iHpTarget1m	<i>Find the difference between the achieved power and the desired power for rejecting H1 using the improved trimmed or truncated weighted Hochberg procedure with allowance for different data maturities</i>
-------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Description

Find the difference between the achieved power and the desired power for rejecting H1 using the improved trimmed or truncated weighted Hochberg procedure with allowance for different data maturities

Usage

```
iHpTarget1m(n, alpha1, alpha, k, beta1, deltavec, rho, maturity)
```

Arguments

n	the sample size
alpha1	the weighted significance levels assigned to H1
alpha	the significance level
k	a pre-specified constant in the improved trimmed weighted Hochberg procedure
beta1	one minus the desired power for rejecting H1
deltavec	a numeric vector of two values representing the effect sizes for the two hypotheses
rho	the correlation coefficient between two test statistics
maturity	a numeric vector of two values representing the data maturities for the two hypotheses

Value

the difference between the achieved power and the desired power for rejecting H1

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

iHpTarget2	<i>Find the difference between the achieved power and the desired power for rejecting H2 using the improved trimmed or truncated weighted Hochberg procedure</i>
------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------

Description

Find the difference between the achieved power and the desired power for rejecting H2 using the improved trimmed or truncated weighted Hochberg procedure

Usage

```
iHpTarget2(n, alpha1, alpha, k, beta2, deltavec, rho)
```

Arguments

n	the sample size
alpha1	the weighted significance levels assigned to H1
alpha	the significance level
k	a pre-specified constant in the improved trimmed weighted Hochberg procedure
beta2	one minus the desired power for rejecting H2
deltavec	a numeric vector of two values representing the effect sizes for the two hypotheses
rho	the correlation coefficient between two test statistics

Value

the difference between the achieved power and the desired power for rejecting H2 using the improved trimmed or truncated weighted Hochberg procedure

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

iHpTarget2m	<i>Find the difference between the achieved power and the desired power for rejecting H2 using the improved trimmed or truncated weighted Hochberg procedure with allowance for different data maturities</i>
-------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Description

Find the difference between the achieved power and the desired power for rejecting H2 using the improved trimmed or truncated weighted Hochberg procedure with allowance for different data maturities

Usage

iHpTarget2m(n, alpha1, alpha, k, beta2, deltavec, rho, maturity)

Arguments

n	the sample size
alpha1	the weighted significance levels assigned to H1
alpha	the significance level
k	a pre-specified constant in the improved trimmed weighted Hochberg procedure
beta2	one minus the desired power for rejecting H2
deltavec	a numeric vector of two values representing the effect sizes for the two hypotheses
rho	the correlation coefficient between two test statistics
maturity	a numeric vector of two values representing the data maturities for the two hypotheses

Value

the difference between the achieved power and the desired power for rejecting H2

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

interpolate_zero *Calculate the x-coordinates of a function where zero crossings occur*

Description

Calculate the x-coordinates of a function where zero crossings occur

Usage

```
interpolate_zero(values, x = NULL)
```

Arguments

values	a numeric vector representing the function's output at specific points
x	Aa vector of x-coordinates corresponding to the values. If not provided, it defaults to 1:length(values)

Value

the x-coordinates where zero crossings occur. If no crossings are found, it returns NA

itwcHochPower *Power for rejecting H1 using various types of the Hochberg Procedure*

Description

Power for rejecting H1 using various types of the Hochberg Procedure

Usage

```
itwcHochPower(n, alpha1, alpha, deltavec, rho, proctype = "i", k = 0)
```

Arguments

n	the sample size
alpha1	the weighted significance levels assigned to H1
alpha	the significance level
deltavec	a numeric vector of two values representing the effect sizes for the two hypotheses
rho	the correlation coefficient between two test statistics
proctype	the improved trimmed weighted Hochberg procedure is denoted by i, the trimmed weighted Hochberg procedure is denoted by t, the weighted Hochberg procedure is denoted by w, and the conservative weighted Hochberg procedure is denoted by c
k	a pre-specified constant in the improved trimmed weighted Hochberg procedure

Value

the power for rejecting H1 is denoted by pwr1, the power for rejecting H2 is denoted by pwr2, and the power for rejecting both H1 and H2 is denoted by pwr12

Author(s)

Jiangtao Gou

Fengqing Zhang

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

Examples

```

itwchHochPower(n = 100,
alpha1 = 0.0125, alpha = 0.025,
deltavec = c(0.2, 0.25), rho = 0.2,
proctype = "i", k = 0)
itwchHochPower(n = 100,
alpha1 = 0.0125, alpha = 0.025,
deltavec = c(0, 0), rho = 0,
proctype = "w", k = 0)

```

optk

The two-step algorithm to calculate the best k value for the improved trimmed Hochberg method to ensure that the maximum type I error rate reaches alpha exactly when rho is arbitrary

Description

The two-step algorithm to calculate the best k value for the improved trimmed Hochberg method to ensure that the maximum type I error rate reaches alpha exactly when rho is arbitrary

Usage

```
optk(alpha, alphavec = c(alpha/2, alpha/2))
```

Arguments

alpha	the significance level
alphavec	a numeric vector of two values representing the weighted significance levels assigned to the two hypotheses

Value

the best k value k_{opt} and the rho value that makes the type I error rate reaches the maximum value ρ_{opt}

Author(s)

Jiangtao Gou
Fengqing Zhang

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

Examples

```
optk(alpha = 0.025)
```

optrho *Calculate the rho value that reaches the maximum type I error rate in the improved trimmed Hochberg method when k value is given*

Description

Calculate the rho value that reaches the maximum type I error rate in the improved trimmed Hochberg method when k value is given

Usage

```
optrho(k, alpha, alphavec = c(alpha/2, alpha/2))
```

Arguments

k a pre-specified constant in the improved trimmed weighted Hochberg procedure
alpha the significance level
alphavec a numeric vector of two values representing the weighted significance levels assigned to the two hypotheses

Value

the rho value that makes the type I error rate reaches the maximum value rho_opt and the type I error rate errorrate

Author(s)

Jiangtao Gou
Fengqing Zhang

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

Examples

```
optrho(k = 2/3, alpha = 0.025)
```

optsamplesize_iHp *Compute the optimal sample size for the improved trimmed weighted Hochberg procedure*

Description

Compute the optimal sample size for the improved trimmed weighted Hochberg procedure

Usage

```
optsamplesize_iHp(
  alpha,
  k,
  betavec,
  deltavec,
  rho,
  ninterval = c(2, 2000),
  alphalist = seq(from = 0, to = alpha, by = 0.005)
)
```

Arguments

alpha	the significance level
k	a pre-specified constant in the improved trimmed weighted Hochberg procedure
betavec	a numeric vector of two values, including one minus the desired power for rejecting H1 and one minus the desired power for rejecting H2
deltavec	a numeric vector of two values representing the effect sizes for the two hypotheses
rho	the correlation coefficient between two test statistics
ninterval	a vector containing the end-points of the interval to be searched for optimal sample size
alphalist	a vector of discrete alpha values

Value

the overall optimal sample size for the improved trimmed weighted Hochberg procedure

Author(s)

Jiangtao Gou
Fengqing Zhang

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

Examples

```

rrr <- 2 # Allocation ratio
alpha <- 0.025
k <- 2/3
ninterval <- c(2, 1000)
betavec <- c(0.05, 0.15)
rho <- 0.3
psivec <- c(0.67, 0.73)
thetavec <- log(psivec)
deltavec <- (-thetavec)*sqrt(rrr)/(1+rrr)
result <- optsamplesize_iHp(alpha = alpha, k = k,
betavec = betavec, deltavec = deltavec,
rho = rho, ninterval = ninterval)
result$nopt

```

optsamplesize_iHpm	<i>Compute the optimal sample size for the improved trimmed weighted Hochberg procedure with allowance for different data maturities</i>
--------------------	------------------------------------------------------------------------------------------------------------------------------------------

Description

Compute the optimal sample size for the improved trimmed weighted Hochberg procedure with allowance for different data maturities

Usage

```

optsamplesize_iHpm(
  alpha,
  k,
  betavec,
  deltavec,
  rho,
  maturity,
  ninterval = c(2, 2000),
  alphalist = seq(from = 0, to = alpha, by = 0.005)
)

```

Arguments

alpha	the significance level
k	a pre-specified constant in the improved trimmed weighted Hochberg procedure
betavec	a numeric vector of two values, including one minus the desired power for rejecting H1 and one minus the desired power for rejecting H2
deltavec	a numeric vector of two values representing the effect sizes for the two hypotheses
rho	the correlation coefficient between two test statistics

maturity	a numeric vector of two values representing the data maturities for the two hypotheses
ninterval	a vector containing the end-points of the interval to be searched for optimal sample size
alphalist	a vector of discrete alpha values

Value

the overall optimal sample size for the improved trimmed weighted Hochberg procedure with allowance for different data maturities

Author(s)

Jiangtao Gou

Fengqing Zhang

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

Examples

```

rrr <- 2
alpha <- 0.025
k <- 0.6761
ninterval <- c(2, 1000)
betavec <- c(0.10, 0.10)
rho <- 0.4
maturity <- c(0.65, 0.70)
psivec <- c(0.67, 0.73)
thetavec <- log(psivec)
deltavec <- (-thetavec)*sqrt(rrr)/(1+rrr)
result <- optsamplesize_iHpm(alpha = alpha, k = k,
betavec = betavec, deltavec = deltavec,
rho = rho, maturity = maturity,
ninterval = ninterval)
result$nopt

```

optsamplesize_tHp

Compute the optimal sample size for the weighted trimmed or truncated Hochberg procedure

Description

Compute the optimal sample size for the weighted trimmed or truncated Hochberg procedure

Usage

```
optsamplesize_tHp(
  alpha,
  betavec,
  deltavec,
  rho,
  ninterval = c(2, 2000),
  alphalist = seq(from = 0, to = alpha, by = 0.005)
)
```

Arguments

alpha	the significance level
betavec	a numeric vector of two values, including one minus the desired power for rejecting H1 and one minus the desired power for rejecting H2
deltavec	a numeric vector of two values representing the effect sizes for the two hypotheses
rho	the correlation coefficient between two test statistics
ninterval	a vector containing the end-points of the interval to be searched for optimal sample size
alphalist	a vector of discrete alpha values

Value

the overall optimal sample size for the weighted trimmed or truncated Hochberg procedure

Author(s)

Jiangtao Gou
Fengqing Zhang

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

Examples

```
psivec <- c(0.76, 0.72)
thetavec <- log(psivec)
deltavec <- (-thetavec)/2
result <- optsamplesize_tHp(alpha = 0.05, betavec = c(0.20, 0.10),
deltavec = deltavec , rho = -0.1)
result$nopt
```

optsamplesize_wHolmpm *Compute the optimal sample size for the weighted Holm procedure with allowance for different data maturities*

Description

Compute the optimal sample size for the weighted Holm procedure with allowance for different data maturities

Usage

```
optsamplesize_wHolmpm(
  alpha,
  betavec,
  deltavec,
  rho,
  maturity,
  ninterval = c(2, 2000),
  alphalist = seq(from = 0, to = alpha, by = 0.005)
)
```

Arguments

alpha	the significance level
betavec	a numeric vector of two values, including one minus the desired power for rejecting H1 and one minus the desired power for rejecting H2
deltavec	a numeric vector of two values representing the effect sizes for the two hypotheses
rho	the correlation coefficient between two test statistics
maturity	a numeric vector of two values representing the data maturities for the two hypotheses
ninterval	a vector containing the end-points of the interval to be searched for optimal sample size
alphalist	a vector of discrete alpha values

Value

the overall optimal sample size for the weighted Holm procedure with allowance for different data maturities

Author(s)

Jiangtao Gou
Fengqing Zhang

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

Examples

```

rrr <- 2
alpha <- 0.025
k <- 0.6761
ninterval <- c(2, 1000)
betavec <- c(0.05, 0.15)
rho <- 0.4
maturity <- c(0.65, 0.70)
psivec <- c(0.67, 0.73)
thetavec <- log(psivec)
deltavec <- (-thetavec)*sqrt(rrr)/(1+rrr)
result <- optsamplesize_wHolmpm(alpha = alpha, betavec = betavec,
deltavec = deltavec , rho = rho,
maturity = maturity, ninterval = ninterval)
result$nopt

```

optsamplesize_wHp *Compute the optimal sample size for the weighted Hochberg procedure*

Description

Compute the optimal sample size for the weighted Hochberg procedure

Usage

```

optsamplesize_wHp(
  alpha,
  betavec,
  deltavec,
  rho,
  ninterval = c(2, 2000),
  alphalist = seq(from = 0, to = alpha, by = 0.005)
)

```

Arguments

alpha	the significance level
betavec	a numeric vector of two values, including one minus the desired power for rejecting H1 and one minus the desired power for rejecting H2
deltavec	a numeric vector of two values representing the effect sizes for the two hypotheses
rho	the correlation coefficient between two test statistics

ninterval a vector containing the end-points of the interval to be searched for optimal sample size

alphalist a vector of discrete alpha values

Value

the overall optimal sample size for the weighted Hochberg procedure

Author(s)

Jiangtao Gou

Fengqing Zhang

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

Examples

```
psivec <- c(0.76, 0.72)
thetavec <- log(psivec)
deltavec <- (-thetavec)/2
result <- optsamplesize_wHp(alpha = 0.05, betavec = c(0.20, 0.10),
deltavec = deltavec , rho = -0.1)
result$nopt
```

tHpTarget1	<i>Find the difference between the achieved power and the desired power for rejecting H1 using the weighted trimmed or truncated Hochberg procedure</i>
------------	---------------------------------------------------------------------------------------------------------------------------------------------------------

Description

Find the difference between the achieved power and the desired power for rejecting H1 using the weighted trimmed or truncated Hochberg procedure

Usage

```
tHpTarget1(n, alpha1, alpha, beta1, deltavec, rho)
```

Arguments

n the sample size

alpha1 the weighted significance levels assigned to H1

alpha the significance level

beta1 one minus the desired power for rejecting H1

deltavec a numeric vector of two values representing the effect sizes for the two hypotheses

rho the correlation coefficient between two test statistics

Value

the difference between the achieved power and the desired power for rejecting H1 using the weighted trimmed or truncated Hochberg procedure

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

tHpTarget2	<i>Find the difference between the achieved power and the desired power for rejecting H2 using the weighted trimmed or truncated Hochberg procedure</i>
------------	---------------------------------------------------------------------------------------------------------------------------------------------------------

Description

Find the difference between the achieved power and the desired power for rejecting H2 using the weighted trimmed or truncated Hochberg procedure

Usage

tHpTarget2(n, alpha1, alpha, beta2, deltavec, rho)

Arguments

n the sample size

alpha1 the weighted significance levels assigned to H1

alpha the significance level

beta2 one minus the desired power for rejecting H2

deltavec a numeric vector of two values representing the effect sizes for the two hypotheses

rho the correlation coefficient between two test statistics

Value

the difference between the achieved power and the desired power for rejecting H2 using the weighted trimmed or truncated Hochberg procedure

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

`typeIerror_Simes_mvtnorm`*Calculate the type I error rate of the weighted Simes test*

Description

Calculate the type I error rate of the weighted Simes test

Usage

```
typeIerror_Simes_mvtnorm(  
  rho,  
  adjFct = 0,  
  alpha,  
  alphavec = c(alpha/2, alpha/2)  
)
```

Arguments

<code>rho</code>	the correlation coefficient between two test statistics
<code>adjFct</code>	a pre-specified constant in the improved weighted Hochberg procedure, called the adjustment factor or k value
<code>alpha</code>	the significance level
<code>alphavec</code>	a numeric vector of two values representing the weighted significance levels assigned to the two hypotheses

Value

the type I error rate

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

Examples

```
typeIerror_trimSimes_mvtnorm(rho = 0, adjFct = 0, alpha = 0.05)
```

```
typeIerror_trimSimes_mvtnorm
```

Calculate the type I error rate of the trimmed weighted Simes test

Description

Calculate the type I error rate of the trimmed weighted Simes test

Usage

```
typeIerror_trimSimes_mvtnorm(  
  rho,  
  adjFct,  
  alpha,  
  alphavec = c(alpha/2, alpha/2)  
)
```

Arguments

rho	the correlation coefficient between two test statistics
adjFct	a pre-specified constant in the improved trimmed weighted Hochberg procedure, called the adjustment factor or k value
alpha	the significance level
alphavec	a numeric vector of two values representing the weighted significance levels assigned to the two hypotheses

Value

the type I error rate

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

Examples

```
typeIerror_trimSimes_mvtnorm(rho = 0, adjFct = 0, alpha = 0.05)
```

wHolmTarget1	<i>Find the difference between the achieved power and the desired power for rejecting H1 using the weighted Holm procedure</i>
--------------	--------------------------------------------------------------------------------------------------------------------------------

Description

Find the difference between the achieved power and the desired power for rejecting H1 using the weighted Holm procedure

Usage

```
wHolmTarget1(n, alpha1, alpha, beta1, deltavec, rho)
```

Arguments

n	the sample size
alpha1	the weighted significance levels assigned to H1
alpha	the significance level
beta1	one minus the desired power for rejecting H1
deltavec	a numeric vector of two values representing the effect sizes for the two hypotheses
rho	the correlation coefficient between two test statistics

Value

the difference between the achieved power and the desired power for rejecting H1

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

wHolmTarget1m	<i>Find the difference between the achieved power and the desired power for rejecting H1 using the weighted Holm procedure with allowance for different data maturities</i>
---------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Description

Find the difference between the achieved power and the desired power for rejecting H1 using the weighted Holm procedure with allowance for different data maturities

Usage

```
wHolmTarget1m(n, alpha1, alpha, beta1, deltavec, rho, maturity)
```

Arguments

n	the sample size
alpha1	the weighted significance levels assigned to H1
alpha	the significance level
beta1	one minus the desired power for rejecting H1
deltavec	a numeric vector of two values representing the effect sizes for the two hypotheses
rho	the correlation coefficient between two test statistics
maturity	a numeric vector of two values representing the data maturities for the two hypotheses

Value

the difference between the achieved power and the desired power for rejecting H1

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

wHolmTarget2	<i>Find the difference between the achieved power and the desired power for rejecting H2 using the weighted Holm procedure</i>
--------------	--------------------------------------------------------------------------------------------------------------------------------

Description

Find the difference between the achieved power and the desired power for rejecting H2 using the weighted Holm procedure

Usage

```
wHolmTarget2(n, alpha1, alpha, beta2, deltavec, rho)
```

Arguments

n	the sample size
alpha1	the weighted significance levels assigned to H1
alpha	the significance level
beta2	one minus the desired power for rejecting H2
deltavec	a numeric vector of two values representing the effect sizes for the two hypotheses
rho	the correlation coefficient between two test statistics

Value

the difference between the achieved power and the desired power for rejecting H2

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

wHolmTarget2m	<i>Find the difference between the achieved power and the desired power for rejecting H2 using the weighted Holm procedure with allowance for different data maturities</i>
---------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Description

Find the difference between the achieved power and the desired power for rejecting H2 using the weighted Holm procedure with allowance for different data maturities

Usage

```
wHolmTarget2m(n, alpha1, alpha, beta2, deltavec, rho, maturity)
```

Arguments

n	the sample size
alpha1	the weighted significance levels assigned to H1
alpha	the significance level
beta2	one minus the desired power for rejecting H2
deltavec	a numeric vector of two values representing the effect sizes for the two hypotheses
rho	the correlation coefficient between two test statistics
maturity	a numeric vector of two values representing the data maturities for the two hypotheses

Value

the difference between the achieved power and the desired power for rejecting H2

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

wHpTarget1	<i>Find the difference between the achieved power and the desired power for rejecting H1 using the weighted Hochberg procedure</i>
------------	------------------------------------------------------------------------------------------------------------------------------------

Description

Find the difference between the achieved power and the desired power for rejecting H1 using the weighted Hochberg procedure

Usage

```
wHpTarget1(n, alpha1, alpha, beta1, deltavec, rho)
```

Arguments

n	the sample size
alpha1	the weighted significance levels assigned to H1
alpha	the significance level
beta1	one minus the desired power for rejecting H1
deltavec	a numeric vector of two values representing the effect sizes for the two hypotheses
rho	the correlation coefficient between two test statistics

Value

the difference between the achieved power and the desired power for rejecting H1 using the weighted Hochberg procedure

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

wHpTarget2	<i>Find the difference between the achieved power and the desired power for rejecting H2 using the weighted Hochberg procedure</i>
------------	------------------------------------------------------------------------------------------------------------------------------------

Description

Find the difference between the achieved power and the desired power for rejecting H2 using the weighted Hochberg procedure

Usage

```
wHpTarget2(n, alpha1, alpha, beta2, deltavec, rho)
```

Arguments

n	the sample size
alpha1	the weighted significance levels assigned to H1
alpha	the significance level
beta2	one minus the desired power for rejecting H2
deltavec	a numeric vector of two values representing the effect sizes for the two hypotheses
rho	the correlation coefficient between two test statistics

Value

the difference between the achieved power and the desired power for rejecting H2 using the weighted Hochberg procedure

Author(s)

Jiangtao Gou

References

Gou, J., Chang, Y., Li, T., and Zhang, F. (2025). Improved trimmed weighted Hochberg procedures with two endpoints and sample size optimization. Technical Report.

Index

[find_k_given_rho_target_mvtnorm](#), [2](#)

[find_k_target_mvtnorm](#), [3](#)

[find_rho_target_mvtnorm](#), [4](#)

[iHpTarget1](#), [4](#)

[iHpTarget1m](#), [5](#)

[iHpTarget2](#), [6](#)

[iHpTarget2m](#), [7](#)

[interpolate_zero](#), [8](#)

[itwcHochPower](#), [9](#)

[optk](#), [10](#)

[optrho](#), [11](#)

[optsamplesize_iHp](#), [12](#)

[optsamplesize_iHpm](#), [13](#)

[optsamplesize_tHp](#), [14](#)

[optsamplesize_wHolmpm](#), [16](#)

[optsamplesize_wHp](#), [17](#)

[tHpTarget1](#), [18](#)

[tHpTarget2](#), [19](#)

[typeIerror_Simes_mvtnorm](#), [20](#)

[typeIerror_trimSimes_mvtnorm](#), [21](#)

[wHolmTarget1](#), [22](#)

[wHolmTarget1m](#), [23](#)

[wHolmTarget2](#), [24](#)

[wHolmTarget2m](#), [25](#)

[wHpTarget1](#), [26](#)

[wHpTarget2](#), [27](#)